

IN THE CLAIMS

Please amend the claims as follows:

1-15. (Canceled)

16. (Previously Presented) An OLAP query generation engine executing in a computer for use in generating OLAP queries for one or more of a plurality of different OLAP servers, comprising:

a query object model, the query object model including a data structure which models an OLAP query in an abstract form, wherein the abstract form is compatible with two or more different OLAP structured query formats, wherein each OLAP structured query format is associated with one of the plurality of OLAP servers; and

a programming interface for generating an OLAP query statement in one of the associated OLAP structured query formats from the query object model, wherein the OLAP structured query format to be used is specified by the associated query object model.

17. (Canceled)

18. (Original) The engine of claim 16, wherein the data structure models the OLAP query in a form different from the implementation of underlying OLAP servers.

19. (Original) The engine of claim 16, wherein the programming interface is also for maintaining the OLAP query statement.

20. (Original) The engine of claim 16, wherein the programming interface is also for executing the OLAP query statement.

21. (Original) The engine of claim 16, wherein the query object model is capable of specifying the MDX and the RS query formats, and the programming interface generates an MDX query statement and an RS query statement when the query object model specifies the MDX query format and the RS query format, respectively.

22. (Original) The engine of claim 16, wherein the query object model is capable of specifying first, second and third structured query formats, and the programming interface generates the query statement using the first, second and third formats when the query object model specifies the first, second and third structured query formats, respectively.

23. (Previously Presented) An OLAP query object model for use in generating an OLAP query statement for one or more of a plurality of different OLAP servers, comprising:

a query object which defines an OLAP query in an abstract form, wherein the abstract form is compatible with two or more different OLAP structured query formats, wherein each OLAP structured query format is associated with one of the plurality of OLAP servers; and

a root object including methods, executing in a computer, for transforming the query object into an OLAP query statement in one of the associated OLAP structured query formats, wherein the OLAP structured query format to be used is specified by the query object.

24. (Original) The model of claim 23, wherein the query object is capable of specifying the MDX query format and the RS query format, and the root object includes methods for generating an MDX query statement and an RS query statement when the query object specifies the MDX query format and the RS query format, respectively.

25. (Original) The model of claim 23, wherein the query object is capable of specifying first, second and third structured query formats, and the root object includes methods for generating the query statement using the first, second and third structured query formats when the query object specifies the first, second and third structured query formats, respectively.

26. (Currently Amended) An OLAP query generation engine, executing in a computer, for use with an OLAP query and reporting application that supports a first OLAP server using a first structured query format and supports a second OLAP server using a second structured query format, wherein the first and second structured query formats are different, the engine comprising:

an object model including a data structure that models an OLAP query in an abstract form, wherein the abstract form is compatible with both of the two different OLAP structured query formats; and

a programming interface operating on a computer for generating an OLAP query statement according to the first structured query format when the first structured query format is specified by the object model and according to the second structured query format when the second structured query format is specified by the object model.

27. (Currently Amended) The engine of claim 26, wherein the ~~query and reporting application~~ the object model supports a Microsoft Analysis Services OLAP server using the MDX query format and an Hyperion Essbase ESSBASE® OLAP server using the RS query format, and the programming interface generates an MDX query statement and an RS query statement when the object model specifies the MDX query format and the RS query format, respectively.

28. (Canceled)

29. (Currently Amended) A computer-implemented method of generating an OLAP query ~~using a query object modeled based on an OLAP query and capable of supporting a plurality of OLAP servers, each of the OLAP servers using a different structured query format,~~ the method comprising:

providing a query object, the query object including a data structure which models an OLAP query in an abstract form, wherein the abstract form is compatible with two or more different OLAP structured query formats, wherein each different OLAP structured query format is associated with a different type of OLAP server;

determining ~~selecting~~, based upon a property of the query object, an OLAP server from among the plurality of OLAP servers associated with one of the two or more different OLAP structured query formats; and

processing the query object in a computer to generate a query statement using the structured query format corresponding to the OLAP server ~~determined~~ selected.

30. (Currently Amended) The method of claim 29, wherein the query object supports the Microsoft Analysis Services OLAP server and the Hyperion Essbase ESSBASE® OLAP server, and the processing generates an MDX query statement and an RS query statement when the property indicates that the OLAP server is a Microsoft Analysis Services OLAP server and an a Hyperion Essbase ESSBASE® OLAP server, respectively.

31. (Canceled)